ANALYTICA CHIMICA ACTA, VOL. 234 (1990)

AUTHOR INDEX

Alonso, J., see Lima, J.L.F.C. 221
Araujo, A.N., see Montesinos, J.L. 67
Ariel, M., see Goldik, R. 161
—, see Noufi, M. 475
Armstrong, D.W.
—, Li, W., Stalcup, A.M., Secor, H.V., Izac, R.R. and Seeman, J.I.
Capillary gas chromatographic separation of enantiomers with stable dipentyl-α-, β- and γ-cyclodextrin-derivatized stationary phases 365
Arruda, M.A.Z., see Zagatto, E.A.G. 153
Aw, T.-C., see Gunasingham, H. 321
Awaad, M.F., see Gündüz, T. 339

Baeyens, W.R.G., see Lansens, P. 417
—, Lin Ling, B., Corbisier, V. and Raemdonck, A.
Enhanced fluorescence from *o*-phthalaldehyde and fluorescamine fluorophores using Triton and β-cyclodextrin 187
Balconi, M.L.
—, Sigon, F., Borgarello, M., Ferraroli, R. and Realini, F.
Flow-injection analysis for power plants: Evaluation of detectors for the determination of control parameters in conditioned water–steam cycles 167
Barceló, D., see Farran, A. 119
Bartrolí, J., see Lima, J.L.F.C. 221
—, see Montesinos, J.L. 67
Bergamin F°, H., see Giné, M.F. 207
Bianco, P., see Haladjian, J. 471
Blanco, M.
—, Coello, J., Iturriaga, H., Maspoch, S. and Riba, J.
Precision of a diode-array spectrophotometer 395
Blanco González, E., see Merino Merino, I. 127
Blauw, J.S., see Driebergen, R.J. 285
Borgarello, M., see Balconi, M.L. 167
Bortolus, P.
—, Galiazzo, G. and Gennari, G.
Trifluoroethanol as a solvent for discriminating the fluorescence of polynuclear aza-aromatic compounds from that of the parent hydrocarbon 353
Bruno, A.E.
—, Kuhn, R. and Widmer, H.M.
Theoretical considerations on the design of cylindrical flow cells utilizing optical fibres 259
Burguera, J.L.
—, Burguera, M., Rivas, C., De La Guardia, M. and Salvador, A.
Simple variable-volume injector for flow-injection systems 253
Burguera, M., see Burguera, J.L. 253

Cardwell, T.J., see Freeman, P.R. 409
Cassidy, J.
— and Lowney, C.
Differential-pulse anodic stripping voltammetry at mercury–poly(4-vinylpyridine) coatings on glassy carbon electrodes 479
Castaño, A., see Tarazona, J.V. 193
Centrich, F., see Núñez, M.D. 269
Chen, D.
—, Luque De Castro, M.D. and Valcárcel, M.
Fluorimetric sensor for the determination of fluoride at the nanograms per millilitre level 345
Cheng, W.-T., see Yu, F.-B. 487
Christian, G.D., see Ruzicka, J. 31
Chute, G.S.
—, Weginwar, R.G. and Garg, A.N.
Substoichiometric isotope dilution determination of manganese in biological samples using 2-thenoyltrifluoroacetone in isobutyl methyl ketone 445
Coello, J., see Blanco, M. 395
Conceição B.S.M. Montenegro, M., see Lima, J.L.F.C. 221
Corbisier, V., see Baeyens, W.R.G. 187
Cortina, J.L., see Farran, A. 119

De La Guardia, M., see Burguera, J.L. 253
Del Pilar Da Silva De Campos, M.
—, Rodriguez Procopio, J. and Hernandez Hernandez, L.
Determination of 1,4-thienodiazepines by liquid chromatography with spectrophotometric, amperometric and coulometric detection 175
Del Valle, M., see Montesinos, J.L. 67
De Pablo, J., see Farran, A. 119
Dewaele, C., see Nagels, L.J. 75
Díaz García, M.E., see González Alvarez, M.J. 181
—, see Liu, Y.-M. 233
Ding, T.
— and Schmid, R.D.
Rapid determination of microorganisms using a flow-injection system 247
Dremel, B.A.A.
—, Yang, W. and Schmid, R.D.
On-line determination of lactic acid during kefir fermentation based on a fibre-optic lactic acid biosensor and flow-injection analysis 107
Driebergen, R.J.
—, Holthuis, J.J.M., Blauw, J.S., Postma Kelder, S.J., Verboom, W., Reinhoudt, D.N. and Van der Linden, W.E.

Electrochemistry of potential bioreductive alkylating quinones. Part 2. Electrochemical properties of 2,5-bis(1-aziridinyl)-3,6-bis(ethoxycarbonylamino)-1,4- benzoquinone and some model compounds 285
Duan, J., see Jiang, M. 403

Emnéus, J.
— and Gorton, L.
Effects on the hydrolysis of native starch and glycogen by a thermostable α-amylase after immobilization on solid supports 97

Farran, A.
—, Cortina, J.L., De Pablo, J. and Barceló, D.
On-line continuous-flow extraction system in liquid chromatography with ultraviolet and mass spectrometric detection for the determination of selected organic pollutants 119
Fell, A.F.
—, Woldemariam, T.Z., Linley, P.A., Jian, G., Luque De Castro, M.D. and Valcárcel, M.
Post-column continuous-flow analysis combined with reversed-phase liquid chromatography and computer-aided photodiode-array detection for the characterization of phloroglucinols by second-derivative difference spectroscopy 89
Fernandez De La Campa, M.R., see Liu, Y.M. 233
Ferraroli, R., see Balconi, M.L. 167
Freeman, P.R.
—, McKelvie, I.D., Hart, B.T. and Cardwell, T.J.
Flow-injection technique for the determination of low levels of phosphorus in natural waters 409
Fromageat, A., see Thommen, C. 141

Galeano, T., see Muñoz De La Peña, A. 263
Galiazzo, G., see Bortolus, P. 353
Gallego, B., see Tarazona, J.V. 193
Gallego, M., see Montero, R. 433
Garg, A.N., see Chute, G.S. 445
Gennari, G., see Bortolus, P. 353
Gibbs, B.F., see Mulchandani, A. 465
Giné, M.F.
—, Bergamin F°, H., Reis, B.F. and Tuon, R.L.
Intelligent flow-injection–inductively coupled plasma system for matrix matching 207
Goldik, R.
—, Yarnitzky, C. and Ariel, M.
Determination of magnesium in blood serum using a flow-injection system with a potential-scanning electrochemical detector equipped with a thin-film deaerator 161
González Alvarez, M.J.
—, Díaz García, M.E. and Sanz-Medel, A.
Exploitation of synthetic surfactant vesicles for enhanced fluorescence of metal chelates 181
Gorton, L., see Emnéus, J. 97
—, see Marko-Varga, G. 13
Guardia, M. De La, see Burguera, J.L. 253
Guiberteau, A., see Muñoz De La Peña, A. 263
Gunasingham, H.
—, Tan, C.-H. and Aw, T.-C.
Comparative study of first-, second- and third-generation amperometric glucose enzyme electrodes in continuous-flow analysis of undiluted whole blood 321
Gündüz, T.
—, Kılıç, E., Özkan, G., Awaad, M.F. and Taştekin, M.
Conductimetric and potentiometric titrations of phenolic acids with triethylamine and tetrabutylammonium hydroxide in acetonitrile 339

Haladjian, J.
— and Bianco, P.
Polarographic determination of carbodiimides 471
Hart, B.T., see Freeman, P.R. 409
Hernandez Hernandez, L., see Del Pilar Da Silva De Campos, M. 175
Holthuis, J.J.M., see Driebergen, R.J. 285

Iturriaga, H., see Blanco, M. 395
Izac, R.R., see Armstrong, D.W. 365

Jacintho, A.O., see Zagatto, E.A.G. 153
Jian, G., see Fell, A.F. 89
Jiang, F., see Jiang, M. 403
Jiang, M.
—, Jiang, F., Duan, J., Tang, X. and Zhao, Z.
Spectrophotometric determination of trace nitrite based on catalytic oxidation of thionine by potassium bromate 403

Kauffmann, J.M., see Nagels, L.J. 75
Kılıç, E., see Gündüz, T. 339
Kindervater, R.
—, Künnecke, W. and Schmid, R.D.
Exchangeable immobilized enzyme reactor for enzyme inhibition tests in flow-injection analysis using a magnetic device. Determination of pesticides in drinking water 113
Kolev, S.D.
—, Tóth, K., Lindner, E. and Pungor, E.
Flow-injection approach for the determination of the dynamic response characteristics of ion-selective electrodes. Part 1. Theoretical considerations 49
—, see Tóth, K. 57
Kuhn, R., see Bruno, A.E. 259
Künnecke, W.
— and Schmid, R.D.
Gas-diffusion dilution flow-injection method for the determination of ethanol in beverages without sample pretreatment 213
Künnecke, W., see Kindervater, R. 113

Lansens, P.
—, Meuleman, C., Leermakers, M. and Baeyens, W.
Determination of methylmercury in natural waters by headspace gas chromatography with microwave-induced plasma detection after preconcentration on a resin containing dithiocarbamate groups 417

Lechner, J.F., see Sekerka, I. 199
Leermakers, M., see Lansens, P. 417
Leon, L.E.
—, Ríos, A., Luque De Castro, M.D. and Valcárcel, M.
Integrated photochemical reaction/electrochemical detection in flow-injection systems: kinetic determination of oxalate 227
Leporati, E.
Alkanohydroxamic acids in the accurate computer-aided spectrophotometric determination of copper(II) 387
Computer-aided method for simultaneous determination of substances in solution by spectrophotometry 381
Li, W., see Armstrong, D.W. 365
Lima, J.L.F.C.
—, Conceição B.S.M. Montenegro, Alonso, J., Bartroli, J. and Raurich, J.G.
5,5-Diethylbarbiturate tubular electrode for use in flow-injection detection systems 221
—, see Montesinos, J.L. 67
Lin, M.S., see Wijesuriya, D. 453
Lindner, E., see Kolev, S.D. 49
—, see Tóth, K. 57
Linley, P.A., see Fell, A.F. 89
Lin Ling, B., see Baeyens, W.R.G. 187
Liu, Y.-M.
—, Fernandez De La Campa, M.R., Díaz García, M.E. and Sanz-Medel, A.
Phosphorescence detection in flowing systems: selective determination of aluminium by flow-injection liquid room-temperature phosphorimetry 233
Lowney, C., see Cassidy, J. 479
Luong, J.H.T., see Mulchandani, A. 465
Luque De Castro, M.D., see Chen, D. 345
—, M.D., see Fell, A.F. 89
—, see Leon, L.E. 227

McKelvie, I.D., see Freeman, P.R. 409
Male, K.B., see Mulchandani, A. 465
Manuel de Villena, J., see Yáñez-Sedeño, P. 309
Marko-Varga, G.
— and Gorton, L.
Post-column derivatization in liquid chromatography using immobilized enzyme reactors and amperometric detection 13
Maspoch, S., see Blanco, M. 395
Mattos, I.L., see Zagatto, E.A.G. 153
Mazzetto, G., see Sentimenti, E. 425
Menéndez García, A.
—, Sánchez Uría, E. and Sanz-Medel, A.
Tandem on-line continuous separation and determination of arsenic by inductively coupled plasma atomic emission spectrometry 133
Merino Merino, I.
—, Blanco González, E. and Sanz-Medel, A.
Liquid chromatographic enantiomeric resolution of amino acids with β-cyclodextrin bonded phases and derivatization with *o*-phthalaldehyde 127
Meuleman, C., see Lansens, P. 417
Miles, R., see Roscoe, G.E. 439
Montero, R.
—, Gallego, M. and Valcárcel, M.
Indirect flow-injection determination of methadone by atomic absorption spectrometry 433
Montesinos, J.L.
—, Bartrolí, J., Poch, M., Del Valle, M., Lima, J.L.F.C. and Araujo, A.N.
Mathematical modelling of sequential determinations by flow-injection sandwich techniques 67
Moreno Cordero, B.
— and Perez Pavon, J.L.
Detection of slightly soluble systems by means of organized media in flow-injection analysis 239
Mulchandani, A.
—, Male, K.B., Luong, J.H.T. and Gibbs, B.F.
Enzymatic assay technique for the determination of aspartame 465
Muñoz De La Peña, A.
—, Salinas, F., Galeano, T. and Guiberteau, A.
Application of time-domain differentiation of chromatographic peaks in liquid chromatography 263

Nagels, L.J.
—, Kauffmann, J.M., Dewaele, C. and Parmentier, F.
Convection/diffusion- and diffusion-controlled rapid-scan voltammetry in liquid chromatographic systems with a large-volume wall-jet detector 75
Nakao, I., see Sano, A. 359
Naser, N., see Wang, J. 315
Noufi, M.
—, Yarnitzky, CH. and Ariel, M.
Determination of nitrate with a flow-injection system combining square-wave polarographic detection with on-line deaeration 475
Núñez, M.D.
— and Centrich, F.
Liquid chromatographic method with fluorescence detection for the determination of polycyclic aromatic hydrocarbons in environmental samples 269

Obergfell, P., see Thommen, C. 141
Osteryoung, J., see Wechter, C. 275
Özkan, G., see Gündüz, T. 339
Ozsoz, M., see Wang, J. 315

Pablo, J. De, see Farran, A. 119
Palleschi, G.
— and Turner, A.P.F.
Amperometric tetrathiafulvalene-mediated lactate electrode using lactate oxidase absorbed on carbon foil 459
Pannocchia, G., see Sentimenti, E. 425
Parmentier, F., see Nagels, L.J. 75
Perez Pavon, J.L., see Moreno Cordero, B. 239
Pilar Da Silva De Campos, M. Del., see Del Pilar Da Silva De Campos, M. 175

Pingarrón, J.M., see Yáñez-Sedeño, P. 309
Poch, M., see Montesinos, J.L. 67
Polo, L.M., see Yáñez-Sedeño, P. 309
Postma Kelder, S.J., see Driebergen, R.J. 285
Pungor, E., see Kolev, S.D. 49
—, see Tóth, K. 57

Raemdonck, A., see Baeyens, W.R.G. 187
Raurich, J.G., see Lima, J.L.F.C. 221
Realini, F., see Balconi, M.L. 167
Rechnitz, G.A., see Wijesuriya, D. 453
Reinhoudt, D.N., see Driebergen, R.J. 285
Reis, B.F., see Giné, M.F. 207
Ren, Y., see Zhang, P. 483
Riba, J., see Blanco, M. 395
Ríos, A., see Leon, L.E. 227
Rivas, C., see Burguera, J.L. 253
Rodriguez Procopio, J., see Del Pilar Da Silva De Campos, M. 175
Romagnoli, R.
— and Vetere, V.F.
Potentiometric behaviour of the copper electrode in aqueous copper(II) perchlorate solutions containing sodium chloride 331
Roscoe, G.E.
—, Miles, R. and Taylor, C.G.
Determination of potassium in gasoline and lubricating oils by a flow-injection technique with flame atomic emission spectrometric detection 439
Ruzicka, J.
— and Christian, G.D.
Reversible optosensing in packed flow-through detectors: flow injection or chromatography? 31

Salinas, F., see Muñoz De La Peña, A. 263
Salvador, A., see Burguera, J.L. 253
Sánchez Uría, E., see Menéndez García, A. 133
Sano, A.
—, Nakao, I. and Takitani, S.
Spectrofluorimetric assays for rat liver phenol sulphotransferases I/II and III/IV based on a common substrate 359
Sanz-Medel, A., see González Alvarez, M.J. 181
—, see Liu, Y.M. 233
—, see Menéndez García, A. 133
—, see Merino Merino, I. 127
Schmid, R.D., see Ding, T. 247
—, see Dremel, B.A.A. 107
—, see Kindervater, R. 113
—, see Künnecke, W. 213
—, see Stöcklein, W. 83
Secor, H.V., see Armstrong, D.W. 365
Seeman, J.I., see Armstrong, D.W. 365
Sekerka, I.
— and Lechner, J.F.
Automated method for the determination of boron in water by flow-injection analysis with in-line preconcentration and spectrophotometric detection 199
Sentimenti, E.
—, Mazzetto, G. and Pannocchia, G.
Detection of trace elements in pure indium by flame, Zeeman graphite furnace and hydride generation atomic absorption spectrometry 425
Sigon, F., see Balconi, M.L. 167
Stalcup, A.M., see Armstrong, D.W. 365
Stöcklein, W.
— and Schmid, R.D.
Flow-injection immunoanalysis for the on-line monitoring of monoclonal antibodies 83

Takitani, S., see Sano, A. 359
Tan, C.-H., see Gunasingham, H. 321
Tang, X., see Jiang, M. 403
—, see Yan, Z. 493
Tarazona, J.V.
—, Castaño, A. and Gallego, B.
Detection of organic toxic pollutants in water and wastewater by liquid chromatography and in vitro cytotoxicity tests 193
Taştekin, M., see Gündüz, T. 339
Taylor, C.G., see Roscoe, G.E. 439
Thommen, C.
—, Fromageat, A., Obergfell, P. and Widmer, H.M.
Application of a capillary flow cell to sophisticated flow-injection systems 141
Tóth, K., see Kolev, S.D. 49
—, Lindner, E., Pungor, E. and Kolev, S.D.
Flow-injection approach for the determination of the dynamic response characteristics of ion-selective electrodes. Part 2. Application to tubular solid-state iodide electrode 57
Tuon, R.L., see Giné, M.F. 207
Turner, A.P.F., see Palleschi, G. 459
Tyson, J.F.
Atomic spectrometric detectors for flow-injection analysis 3

Valcárcel, M., see Chen, D. 345
—, see Fell, A.F. 89
—, see Leon, L.E. 227
—, see Montero, R. 433
Van der Linden, W.E., see Driebergen, R.J. 285
Verboom, W., see Driebergen, R.J. 285
Vetere, V.F., see Romagnoli, R. 331

Wang, J.
Modified electrodes for electrochemical detection in flowing streams 41
—, Naser, N. and Ozsoz, M.
Plant tissue-based amperometric electrode for eliminating ascorbic acid interferences 315
Wechter, C.
— and Osteryoung, J.
Voltammetric characterization of small platinum–iridium-based mercury film electrodes 275
Weginwar, R.G., see Chute, G.S. 445

Widmer, H.M., see Bruno, A.E. 259
—, see Thommen, C. 141
Wijesuriya, D.
—, Lin, M.S. and Rechnitz, G.A.
Grape tissue-based electrochemical sensor for the determination of hydrogen peroxide 453
Woldemariam, T.Z., see Fell, A.F. 89

Xun, Y.-M., see Yu, F.-B. 487

Yan, Z.
— and Tang, X.
Automated establishment and plotting of multivariate functions 493
Yáñez-Sedeño, P.
—, Manuel de Villena, J., Pingarrón, J.M. and Polo, L.M.
Polarographic determination of pirimicarb 309
Yang, W., see Dremel, B.A.A. 107
Yarnitzky, C., see Goldik, R. 161
—, see Noufi, M. 475
Yu, F.-B.
—, Xun, Y.-M. and Cheng, W.-T.
Structure/property correlation of substituted compounds based on graph theory 487

Zagatto, E.A.G.
—, Arruda, M.A.Z., Jacintho, A.O. and Mattos, I.L.
Compensation of the Schlieren effect in flow-injection analysis by using dual-wavelength spectrophotometry 153
Zhang, P.
— and Ren, Y.
Chemical approach to ill-conditioned calculation problems in spectrophotometry 483
Zhao, Z., see Jiang, M. 403